



EVAC-19B (NA) Specifications

Accelerating mass adoption of electric vehicles by
delivering sustainable EV charging solutions that can be
deployed anywhere



ELECTRIC VEHICLE ENERGY STORAGE COMPANY

EVAC-19B (NA)

19.2 kW AC Level 2 Charger

FEATURES


- Designed for easy installation and maintenance
- Level 2 (AC) EV charging station
- 208/240 VAC, single-phase input
- 80 A output current
- SAE J1772 Type 1 connector
- NEMA 3R rated design ideal for outdoor installation
- Wall-mounted or floor mounted with a pedestal
- Hard wired
- Energy Star compliant



SPECIFICATIONS

Connector Type	SAE J1772 Type 1
Output Power	19.2 kW
Output AC Current	80 A (single phase)
Supply Input	208 / 240 VAC single phase (+/- 10%)
Supply Frequency	60 Hz
Wiring Type	Hard wired
Indicators	LED with multi-colors
Charging Cable Length	25 ft.
Operating Temperature	-22°F (-30°C) to 122°F (50°C)
IP Rating / IK Rating	NEMA 3R / IK10
Standards	UL 50/991/1449/1998/2231/2594, FCC Part 15B, Energy Star
Mounting	Wall or floor mounted using a pedestal
Installation Types	Residential
Start Mode	Plug and play
Warranty	2 year standard

DIMENSIONS INCH



EVESCO
(PART OF POWER SONIC CORP.)
NA, LATAM & APAC
365 Cabela Dr Suite 300,
Reno, Nevada 89439
USA
T: +1 775 824 6500
E: evesco@power-sonic.com

EMEA
Smitspol 4, 3861 RS,
Nijkerk
The Netherlands
T: +31 33 7410 700
E: evesco@power-sonic.com

evesco.com